

Human anti- Staph Enterotoxin B mAb (930)

Catalog Number: S200-007

Lot: 2204005

Concentration: 100 µg is supplied in PBS at 3.52 mg/mL.

Description: Staphylococcus aureus (S. aureus) is a Grampositive bacterium that colonizes humans and domestic animals. S. aureus produces over 20 different enterotoxins, of which Enterotoxin A and B (SEB and SEA) are the most well characterized and also regarded as superantigens due to their ability to bind to MHC class II alpha and beta chains. SEA is the most common toxin associated with staph food poisoning, and SEB has been studied as its potential as an inhaled bioweapon. Eliteimmune's SEB targeting mAb 930 can be used in toxin neutralization assays (TNA) and is also a useful research tool for ELISAs.

Product Type: Monoclonal Antibody IgG1 subtype

Strain: Staphylococcus aureus

Synonyms: Enterotoxin B, SEB, Staphylococcal enterotoxin B,

superantigen B, superantigen

Expression Host: CHO

Tag: None

Purity: Antibody is purified using immobilized protein G.

Applications: ELISA, and toxin neutralization assays (TNA). Specific conditions should be optimized by end user.

Formulation: PBS

Storage: 4°C for immediate use, ≤-20°C for long-term storage. Avoid repeated freeze thaw cycles.

Shipped: Dry Ice

Intended Use: For research use only. Not intended for human, therapeutic, or diagnostic use. Buyer may not modify, sell, or transfer product for commercial use without written permission from Eliteimmune.

Recommended Dilutions:

ELISA: Assay-dependent dilution. The antibody can be used for capture of SEB in an indirect ELISA assay.

WB: Not recommended for Western Blot because the antibody recognizes conformational epitope.

Neutralization: Assay-dependent dilution

Cross Reactivity: This antibody does not appear to cross react with S. aureus antigens Hla, LukF, LukS, or SEA at the tested concentrations.

ELISA Data:

ng/mL	OD 650 nm				
	Hla	LukF	LukS	SEA	SEB
100.000	0.091	0.113	0.094	0.086	3.475
10.000	0.081	0.073	0.127	0.161	3.539
1.000	0.097	0.130	0.097	0.070	3.318
0.100	0.119	0.330	0.120	0.166	3.686
0.010	0.124	0.137	0.080	0.071	3.442
0.001	0.417	0.078	0.113	0.076	1.598
0.000	0.092	0.131	0.074	0.068	0.342
0.000	0.086	0.077	0.080	0.072	0.122

S. aureus antigens were diluted to 2 μ g/mL in PBS for plate coating. Anti-SEB antibody 930 was serially diluted ten-fold from 100 μ g/mL and incubated on the coated plates. Washed plates were detected with anti-human IgG-HRP conjugate and TMB substrate. OD650 is reported above.

